



Skirt Body



Basque



PTF MEANS Place to fold


Requisites 2m strech Jersey fabric Sewing machine Scissors Cotton

Cutting your pattern

- Print out the pdf pattern pieces. Basque, skirt body and ruffle.
- Stick the pieces together or trace each piece onto a piece of brown paper (tracing is preferred).
- Mark out required size and cut out your pattern.

Cutting your fabric

- Lay fabric out folded lengthwise so that the stretch goes widthwise.
- Lay ruffle to fold trace using tailors chalk or pin to fabric, cut 2
- Lay basque to fold trace using tailors chalk or pin to fabric, cut 2
- Lay skirt, flip over at fold marking. Cut 2 through the layers of fabric



Sewing your skirt

- Fold out cut pieces, lay right side up.
- Place basques right sides together
- Place ruffles right sides together
- Skirt bodys right sides together
- Seam skirt body sides, 6mm seam allowance.

- Seam basque sides, 6mm seam allowance
- Seam ruffle sides, 6mm seam allowance
- Fold basque over to form top of skirt.
- Place inside skirt body, matching side seams
- Stitch in place right sides together, 6mm seam allowance
- Turn to right side, slip ruffle over skirt, match side seams, stitch in place using 6mm seam allowance
- Neaten hem edge, hem ruffle
- Iron skirt

Video of process on YouTube if you're unsure of anything. https://m.youtube.com/watch?v=V8fD7fLCPGM